



Order Status API v1

Document revision 1.4
Date of Issue: 04 October 2018
Date of revision: 07 May 2021

Nick Palmer

Product Lead



Table of Contents

1.	Pur	Purpose					
2.	Glo	Glossary of Terms					
3.	Tec	chnical Standards	3				
4.	Red	quest Header	2				
5.		API Listing					
		Order Status Service (POST method)					
6.	Exc	change validations override	10				
7.	Res	Response Codes1					
	7.1	Request validation error codes	10				
	7.2	Trade validation error codes	11				
	7.3	HTTP Status codes	12				
8.	Ap	pendix – Special contracts types	13				



1. Purpose

To provide the API endpoint information and examples of the web services available for the Order Status service.

2. Glossary of Terms

Term	Meaning
LWIN	LWIN - the Liv-ex Wine Identification Number — serves as a universal wine identifier for the wine trade. LWIN is a unique seven to eighteen-digit numerical code that can be used to quickly and accurately identify a product. LWIN allows wine companies to keep their preferred naming system, while introducing a new universal code.
Wine The word wine below is referring to a specific wine (the producer algrape or vineyard), vintage and unit size combination.	
Bid	A buyer places a bid on the Exchange for buying a certain amount of wine.
Offer	A seller places an offer on the Exchange for selling a certain amount of wine.
Order	Order is a generic term for both bid/offer.
Market Price	The Market Price is is calculated based on publicly advertised prices sourced from leading merchants in the EU and Switzerland. It provides a guide as to the price you are likely to pay for SIB-compliant stock in the market.
Contract Type	Contract type is a generic term for SIB, SEP or Special (X).
SIB	Standard in Bond trade terms (<u>link</u>)
SEP	Standard En Primeur trade terms (<u>link</u>)
Special	Special contract trade terms (<u>link</u>)
Special Now	An offer of stock that is ready for immediate dispatch from Liv-ex warehouses.

3. Technical Standards

- Permitted users will be issued with a unique token (CLIENT_KEY) and password (CLIENT_SECRET) combination to control the access for all the web services covered under Exchange Integration.
- The web services will consume and produce both XML and JSON. The user can provide the content type in the request header. If the user does not provide any information, then the default content type will be JSON.
- The project will support ISO 8601.
- The project will only support HTTPS protocol for client and server communications.
- The API's will support the following method(s):
 - 1. POST (request parameter(s) are contained in message body)
- Pretty printing for output readability only is supported if required
- Compression for bandwidth savings are used
- Authentication mechanism will be custom based on CLIENT_KEY and CLIENT_SECRET
- The Order Status API will be accessible at https://api.liv-ex.com/exchange



4. Request Header

This information will be used to authenticate valid access to the REST API. Each user will have to provide the following information in the request header. Please note that the API expects the 4 headers as listed within this documentation and submitting a request with additional headers may lead to errors and/or failed responses.

Param

Name	Mandatory	Description
CLIENT_KEY	Y	A valid merchant GUID which will be unique for each merchant.
CLIENT_SECRET	Υ	Password/Secret for the merchants CLIENT_KEY.
ACCEPT	Y	Accept header is a way for a client to specify the media type of the response content it is expecting. The values for the content type will be application/json or application/xml.
		If no or invalid content type is found in the request, then JSON format will be used by default.
CONTENT-TYPE	Y for POST requests	Content-type is a way to specify the media type of request being sent from the client to the server. The values for the content type will be application/json or application/xml.
		If no or invalid content type is found in the request, then JSON format will be used by default.

Example header

```
CLIENT_KEY: 12A34BC56-DE7F-89G0-H1J2345K678L
CLIENT_SECRET: dummy_password
ACCEPT: application/json
CONTENT-TYPE: application/json
```

Invalid header JSON response

```
{
    "status": "Unauthorized",
    "httpCode": "401",
    "message": "Request was unsuccessful",
    "livexCode": "R000"
    "apilnfo": {
        "version": "1.0",
        "timestamp": 1549537950898,,
        "provider": "Liv-ex"
    }
}
```

Invalid header XML response



```
<Response>
     <Status>Unauthorized</Status>
     <HttpCode>401</Code>
     <Message>Request was unsuccessful.</Message>
     <LivexCode>R001</LivexCode>
     <Apilnfo>
           <Version>1.0</Version>
           <Timestamp>2017-11-04T11:12:30</Timestamp>
           <Provider>Liv-ex</Provider>
           <Apilnfo>
           <Response>
```

5. API Listing

5.1 Order Status Service (POST method)

Description

This service may be used by merchant systems to check the status of one or more live positions on the exchange prior to sending a bid or offer.

Order Status' primary use is for those building an ecommerce platform. There may be a gap in time between a user adding a wine to their shopping basket and moving to the payment process. Order Status is a low latency API that can be pinged to check a product is still available at the price and quantity chosen by the user.

Base URI

/exchange/v1/orderStatus

Request parameters

Name	Mandatory	Description
orderGUID	Υ	An order identification code (GUID)
		Type: 128-bit hexadecimal

Sample request body

The service accepts one or more order GUIDs per request. There is a maximum limit of 50 GUIDs per request.

JSON Request



XML Request

```
      Single GUID

      <orderStatusRequest>

      </orderStatusRequest>

      Multiple GUIDs

      <orderStatusRequest>

      <orderGUID>9a68b502-72cd-4a10-84f8-d1d5979538e3

      <orderGUID> fe971427-e6e8-43ba-9223-e0d49b9c8505

      <orderGUID> d2bbcd37-2db2-48d6-bb32-ad8c0030edb1

      <orderGUID>1bf62e70-656e-4f15-87b8-a1944043e1f9

      </orderStatusRequest>
```

JSON response

The response is sent per request

```
"orderStatus": {
    "status": [
    {
         "orderGUID": "9a68b502-72cd-4a10-84f8-d1d5979538e3",
         "contractType": "X",
         "special": {
             "dutyPaid": false,
             "minimumQty": 1,
             "deliveryPeriod": 0,
             "condition": "banded cases"
             },
         "orderType": "O",
         "orderStatus": "L",
         "expiryDate": 1549537950898,
         "lwin": "1160743",
         "vintage": 2006,
         "bottleInCase": "03",
         "bottleSize": "00750",
         "quantity": 2,
         "currency": "GBP",
         "price": 1725,
         "myOrder": false,
         "errors": null
        }
   ]
"error": null,
"status": "OK",
"httpCode": "200",
"message": "Request completed successfully.",
"internalErrorCode": "R001",
"apiInfo": {
    "version": "1.0",
    "timestamp": 1510649691167,
    "provider": "Liv-ex"
```



} }

Invalid JSON response

```
{
    "orderStatus": null,
    "error": {
        "code": "V056",
        "message": "GUID is not available or does not exist"
},
    "status": "Bad Request",
    "httpCode": "400",
    "message": "Request was unsuccessful.",
    "internalErrorCode": "R000",
    "apilnfo": {
        "version": "1.0",
        "timestamp": 1511190885207,
        "provider": "Liv-ex"
}
```

XML response

The response is sent per request

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<orderStatusResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="https://api.liv-</p>
ex.com/v1 https://api.liv-ex.com/schema/v1/services.xsd">
   <Status>OK</Status>
    <HttpCode>200</HttpCode>
    <Message>Request completed successfully.</Message>
    <InternalErrorCode>R001</InternalErrorCode>
    <Apilnfo>
        <Version>1.0</Version>
        <Timestamp>2017-11-14T10:18:29.451Z</Timestamp>
        <Provider>Liv-ex</Provider>
   </Apilnfo>
    <Orders>
          <orderGUID>9a68b502-72cd-4a10-84f8-d1d5979538e3</GUID>
          <contractType>X</contractType>
          <special>
              <dutyPaid>false</dutyPaid>
              <minimumQty>1</minimumQty>
              <deliveryPeriod>0</deliveryPeriod>
              <condition>banded cases</condition>
          </special>
          <orderType>O</orderType>
          <orderStatus>L</orderStatus>
          <expiryDate>2018-01-15T00:00:00Z</expiryDate>
          <lwin>1160743</lwin>
          <vintage>2006</vintage>
          <br/>
<br/>
dottleInCase>03</bottleInCase>
          <br/>
<br/>
dottleSize>00750</bottleSize>
          <quantity>2</quantity>
          <currency>GBP</currency>
          <price>1725.0</price>
          <myOrder>false</myOrder>
          <errors xsi:nil="true"/>
```



</order>
</Orders>
</orderStatusResponse>

Invalid XML response

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<orderStatusResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="https://api.liv-</pre>
ex.com/v1 https://api.liv-ex.com/schema/v1/services.xsd">
    <Status>Bad Request</Status>
    <httpCode>400</httpCode>
    <Message>Request was unsuccessful.</Message>
    <InternalErrorCode>R000</InternalErrorCode>
    <Apilnfo>
        <Version>1.0</Version>
        <Timestamp>2017-11-20T15:16:09.418Z</Timestamp>
        <Provider>Liv-ex</Provider>
    </Apilnfo>
    <orderStatus xsi:nil="true"/>
    <error>
        <code>V056</code>
        <message>GUID is not available or does not exist</message>
    </error>
</orderStatusResponse>
```

Response parametersName	Description
orderGUID	The order identification code (GUID) that was requested
contractType	The contract type of the order. The possible value will be SIB (Standard In Bond), SEP (Standard En Primeur) and X (Special).
dutyPaid	null unless contractType = X
	States whether the stock offered on the Special contract has a tax status of duty paid or not. If set to 'false' stock should be considered In Bond (IB).
	Type: Boolean 'true' or 'false'
minimumQty	null unless contractType = X
	States whether the seller has placed a minimum volume of units on the trade. E.g the seller has 50 units on offer with a minimumQty value of 10.
	Type: integer
deliveryPeriod	null unless contractType = X
	States whether the lead time on the offer is different to the standard Liv-ex terms of 2 weeks.
	If deliveryPeriod = 0, the offer is Special Now i.e. the stock is n the Livex warehouse, has been checked and is ready for immediate dispatch.
	Type: integer
condition	null unless contractType = X



	A free text field that states any issues with the stock or its packaging.		
	Type: string		
orderType	The order type. The possible values can be B (bid) or O (offer).		
orderStatus	The status of the order. The possible values will be L (live) S (suspended), T (traded), XL (system blocked live), XS (system blocked suspended).		
	<u>Important</u>		
	Statuses S, T, XL and XS will not transact		
	The "X" flag will be added to orders where the Liv-ex system has reason to block a transaction. This is normally due to one of two reasons: The vendor of the stock has exceeded their trading limits The vendor's system is currently unreachable		
expiryDate	The expiry date of the bid or offer in ISO8601 format. Returns null if orderStatus is traded.		
lwin The LWIN7 of the wine associated with the order GUID.			
vintage	The vintage of the wine associated with the order GUID (4-digit integer).		
bottleInCase	The case size of the wine associated with the order GUID (2-digit integer).		
bottleSize	The bottle size of the wine associated with the order GUID expressed in ml (milliliters) (5-digit integer).		
quantity	The listed quantity of units available under the associated order GUID. A valid positive integer value of quantity of packs such as 1, 8, 50 etc.		
currency	Either EUR, EUR/btt or GBP. The currency will match the trading currency pre-agreed with Liv-ex. The prices that follow will all be expressed in this currency.		
price	The listed price of the associated order on the exchange. GBP prices will be rounded to the nearest whole integer. EUR prices will be round to 2 decimal places.		
quantity	A valid positive integer value of quantity of packs such as 1,2, 50 etc.		
myOrder	A Boolean field that states if the order GUID queried is owned by the user making the request. Possible value can be true or false .		
tradeDate	The trade date in ISO8601 format. Returns null if orderStatus is live or suspended.		



6. Exchange validations override

Description

The Liv-ex exchange platform validates every order it receives to ensure the correct products are traded. A subset of validations (known internally as 'fat finger') look for price and quantity values differ significantly from normal and block these offers.

• Fat finger weak / strong

Bids that are significantly higher than the market price or offers that are significantly lower than the market price are rejected.

Quantity higher than price

Orders where the quantity value is higher than the sale price per unit are rejected.

It is possible to opt out of these validations. Please contact your exchange manger if you would like to know more.

7. Supplementary API services

orders API – place bids and offers on the exchange orderByUID API – sell stock you have stored in the Liv-ex Vine warehouse as Special Now myPositions API – view and reconcile all your positions with Liv-ex (live or suspended) bulkOrderAction API – suspend, reactivate and renew positions on the exchange in bulk

8. Response Codes

This section describes the response codes that will be returned by the Exchange Integration services.

Code	Message
R000	Request was unsuccessful
R001	Request completed successfully
R002	Request partially completed

8.1 Request validation error codes

Code	Message
V000	Mandatory field missing.
V001	Merchant is not allowed to access the requested feed.
V002	Invalid parameter(s).



V003	Wrong data format. Data chould be 'unus MMA dd'
V003	Wrong date format. Date should be 'yyyy-MM-dd'.
V004	Invalid number parameter: positive number expected for {paramName}.
V005 Merchant is not active.	
V006	Invalid LWIN number.
V007	Invalid LWIN 7.
V008	Invalid LWIN 18.
V009 Web service only supports B (Bid) and O (Offer) as order type param	
V010	Web service only supports SIB and SEP as contract type parameter.
V011	Web service only supports L (Live) and S (Suspend) as order state parameter.
V012	Invalid request headers. Please provide value for header {header name}.
V013	Please provide valid vintage.
V015	Invalid currency.
V053	GUID is mandatory for contract type X.
V054	Parent order is not live
V055	Order details do not match order GUID
V056	GUID is not available or does not exist

8.2 Trade validation error codes

Code	Error Key	Meaning
TR001	invalid.made.avail	The deliver period supplied is not valid. Must be a positive integer value (max value = 16)
TR002	invalid.min.unit.and.qty	Your bid does not meet the minimum quantity terms of the contract
TR003	bid.fat.finger.weak.warn	A bid appears to be above Market Price. Please check carefully before proceeding.
TR004	bid.fat.finger.strong.warn	A bid appears to be above Market Price. Please check carefully before proceeding.
TR005	offer.fat.finger.weak.warn	An offer appears to be below Market Price. Please check carefully before proceeding.
TR006	offer.fat.finger.strong.warn	An offer appears to be below Market Price. Please check carefully before proceeding.



TR007	order.did.not.confirm. successfully.try.again	The order did not confirm successfully. Please check request syntax and try again.
TR010	phy.offer.restrict.due.to. exceeding.qty.than.stored	Merchant trading status is set to 'buy and resell only'.
TR011	merchant.about.to.match.his. offer	Merchant is about to match their own offer
TR012	merchant.about.to.match.his. bid	Merchant is about to match their own bid
TR014	merchant.status.no.trading	Merchant does not have trading privileges.
TR015	merchant.status.sell.only.no. phy.bid	Merchant account is 'sell only'.
TR016	merchant.status.sell.only.ep. resell.for.a.vintage	Merchant is not permitted to buy EP stock. EP sell status is 'resell only'.
TR017	merchant.status.sell.only.no. ep.for.a.vintage	Merchant is not permitted to sell EP stock.
TR018	merchant.status.sell.only.ep. allowed	Merchant is not permitted to sell EP stock.
TR019	merchant.status.sso.no.ep.for .a.vintage	Merchant is not allowed to buy and sell EP stock as the trading status is 'sell special only.
TR020	sso.offer.restrict.due.to.exceed ing.qty.than.stored	You are currently only allowed to create special offers. Please change your offer

8.3 HTTP Status codes

HTTP defines a bunch of meaningful status codes that can be returned from our API. These can be leveraged to help our API Merchants/consumers route their responses accordingly:

Code	Message
200 OK	Response to a successful GET, POST, PUT, DELETE. Can also be used for a POST that doesn't result in a creation.
201 Created	Response to a POST that results in a creation.
202 Accepted	The request has been accepted and will be processed later. It is a classic answer to asynchronous calls (for better UX or performances).
204 No Content	Response to a successful request that won't be returning a body (like a DELETE request)
400 Bad Request	The request is malformed, such as if the body does not parse



401 Unauthorized	When no and/or invalid authentication details are provided. Can also be used to trigger an auth popup if API is used from a browser
403 Forbidden	When authentication succeeded but authenticated user doesn't have access to the resource
404 Not Found	When a non-existent resource is requested
405 Method Not Allowed	When an HTTP method is being requested that isn't allowed for the authenticated user
406 Not Acceptable	Nothing matches the Accept-* Header of the request. As an example, you ask for an XML formatted resource but it is only available as JSON.
409 Conflict	Indicates one or more supplied parameters are triggering a validation error. A relevant TR code should be returned in the response.
410 Gone	Indicates that the resource at this end point is no longer available. Useful as a blanket response for old API versions
415 Unsupported Media Type	If incorrect content type was provided as part of the request
422 Unprocessable Entity	Used for validation errors. Should be used if the server cannot process the entity, e.g. if an image cannot be formatted or mandatory fields are missing in the payload.
429 Too Many Requests	When a request is rejected due to rate limiting
500 Internal Server Error	The general catch-all error when the server-side throws an exception. The request may be correct, but an execution problem has been encountered at our end.

9. Appendix – Special contracts types

Special contracts (contractType = 'X') carry four attributes that define the tax status, minimum volume, lead time and condition of a specific offer. Attributes can be combined in various ways depending on the status of the stock.

Special attribute	Meaning
dutyPaid	States whether the stock offered on the Special contract has a tax status of duty paid or not. If set to 'false' stock should be considered In Bond (IB). Type: Boolean 'true' or 'false'
minimumQty	States whether the seller has placed a minimum volume of units on the trade. E.g. the seller has 50 units on offer with a minimumQty value of 10. Type: integer



deliveryPeriod	States whether the lead time on the offer is different to the standard Liv-ex terms of 2 weeks.
	If deliveryPeriod = 0, the offer is Special Now i.e. the stock is n the Liv-ex warehouse, has been checked and is ready for immediate dispatch.
	Type: integer
condition	A free text field that states any issues with the stock or its packaging.
	Type: string

Some wine offered under a Special contract can match or exceed the Liv-ex SIB terms. Offers listed as 'Special – Now' on the exchange are the equivalent of Standard In Bond (SIB) but have the added benefit of being ready for immediate dispatch from Liv-ex warehouses.

The following combination of attributes would filter to these specific type of Special offers:

- dutyPaid = false
- minimumQty = null
- deliveryPeriod = 0
- condition = null

Offers with these flags are In Bond (IB), have no minimum quantity terms or condition issues and have already been landed and checked in the Liv-ex warehouses.